

FALL 2024 CATALOG



ANECHOIC

PREMIUM TITANIUM SUPPRESSORS

CONTENTS

AnechoX 30L	7
MULTI-CAL TO 300 MAG	
AnechoX 223L	9
AR-15 TO 22-250	
AnechoX 22	11
22 LR, 17 HMR to 22 MAG	
AnechoX 35	13
9MM & RIFLES TO 35 CAL	
AnechoX 45	15
45 ACP & RIFLES TO 45 CAL	
DIRECT THREAD ADAPTERS	17
DIRECT THREAD ADAPTERS & WRENCHES	
TOOLS	19
WRENCHES & FIXTURES	
WARRANTY	25

ANECHOIC

PREMIUM TITANIUM SUPPRESSORS

WHO WE ARE

ANECHOIC™ - advanced technology in firearms suppression engineering, AI tuned gas flow physics, advanced metallurgy, precision 8-axis CNC machining, laser and electron beam manufacturing, the revolutionary X-Baffle ANECHOIC™ Chamber System with interrupted central tube for maximum suppression, titanium strength and lightness.

Proudly made in the USA. ANECHOIC™ is in Washington County Utah, a Second Amendment Sanctuary County named for the noblest of the founding fathers of this great American nation.







FULL LENGTH

ANECHOX30L




Best-in-Class Multi-Caliber Titanium Suppressor featuring the X-Baffle Anechoic™ Chamber System for all firearms up to 30 caliber, even 300 Ultra and 30-378 Wby Mag. Excellent on smaller calibers like 223/5.56mm. Best choice for subsonic to magnum rifles in 6mm, 25 cal, 6.5mm, 270, 7mm, 30 cal.

MATERIALS	COATING	WEIGHT	LENGTH X DIAMETER	CALIBER	THREAD PITCH	FULL -AUTO RATING	SOUND REDUCTION	MAINTENANCE
Heat-Treated Grade 5 Titanium, Heat-Treated 17-4 Stainless Steel	Cerakote C Series high temperature thin film ceramic	10.2 ounces, 11.0 ounces with 5/8"-24 Titanium DTA included	8.1" X 1.6", 8.2" with AnechoX DTA included. Adds 7.6" installed	5.56/223, 240 Wby, 6mm ARC, 25-06, 6.5 Creed, 270, 7mm Mag, 7.62/308, 30-06, 300 Mag, 30-378 Wby	Accepts any 1-3/8"-24 mount. 5/8"-24 Titanium DTA included	50 rnds 5.56/223, 15 rnds 7.62/308. Rapid-fire: 20 rnds 7.62/308, 8 rnds 300 Mag. Do not exceed 800° F	Up to 42 dB	Completely End-User Serviceable. Wrenches Included



FULL LENGTH

ANECHOX 223L




Unbelievably Quiet, Lightweight, User-Serviceable, Titanium Suppressor featuring the X-Baffle Anechoic™ Chamber System for your AR-15 or fastest 22 caliber magnum rifle.

MATERIALS	COATING	WEIGHT	LENGTH X DIAMETER	CALIBER	THREAD PITCH	FULL -AUTO RATING	SOUND REDUCTION	MAINTENANCE
Heat-Treated Grade 5 Titanium, Heat-Treated 17-4 Stainless Steel	Cerakote C Series high temperature thin film ceramic	10.2 ounces, 11.0 ounces with 1/2"-28 Titanium DTA included	8.1" X 1.6", 8.2" with AnechoX DTA included. Adds 7.6" installed	223/5.56, 22 Hornet, 220 Swift, 22-250, 22 Nosler, 224 Valkyrie. Also 22 rimfire, cleaning every 1,000 rnds	Accepts any 1-3/8"-24 mount. 1/2"-28 Titanium DTA included	50 rnds 5.56/223. Rapid-fire: 15 rnds 220 Swift, 22-250. Do not exceed 800° F	Up to 42 dB	Completely End-User Serviceable. Wrenches Included



RIMFIRE

ANECHO X22




Ridiculously Light, Quiet, User-Serviceable Suppressor featuring the X-Baffle Anechoic™ Chamber System for your rimfire rifle or pistol. Awesome performance for any 17 HMR, 22 LR, 22 Mag, even the FN 5.7 X 28.

MATERIALS	COATING	WEIGHT	LENGTH X DIAMETER	CALIBER	THREAD PITCH	FULL -AUTO RATING	SOUND REDUCTION	MAINTENANCE
Heat-Treated 7075 T6 Aerospace Aluminum, Heat-Treated Grade 5 Titanium	Cerakote Elite Series thin film ceramic	2.5 ounces	6.0" X 1.1" Adds 5.5" installed	All rimfires to 22 cal, 17 HMR, .22 LR, .22 Mag, and even FN 5.7X28	Fixed Thread 1/2"-28	200 rnds 22 LR. Rapid-fire: 50 rnds 22 Mag, 15 rnds FN 5.7 X 28. NOT rated for 223/5.56. Do not exceed 400° F	Makes a 22 sound like a loud pellet gun, bolt action 22 with subsonic like a very quiet pellet gun	Completely End-User Serviceable. Wrenches Included. Clean every 2,000 rnds



COMPACT

ANECHOX35




Crazy-Versatile Compact Titanium Suppressor featuring the X-Baffle Anechoic™ Chamber System for: handguns to 9mm/.357, the ultimate minimalist hunting 'can' for rifles up to .338 Lapua, and phenomenally low-backpressure for full-auto 5.56/.223.

MATERIALS	COATING	WEIGHT	LENGTH X DIAMETER	CALIBER	THREAD PITCH	FULL -AUTO RATING	SOUND REDUCTION	MAINTENANCE
Heat-Treated Grade 5 Titanium, Heat-Treated 17-4 Stainless Steel	Cerakote C Series high temperature thin film ceramic	8.3 ounces. 9.1 ounces with 1/2"-28 Titanium DTA included	6.5" X 1.6", 6.6" with AnechoX DTA included. Adds 6.1" installed	9mm, .357 Mag, .223, 5.56mm, 7.62/308, 30-06, 300 Mag, 338 Mag, 338 Lapua, 350 Mag	Accepts any 1-3/8"-24 mount. 1/2"-28 Titanium DTA included	100 rnds 9mm, 50 rnds 5.56/223, 15 rnds 7.62/308. Rapid-fire: 20 rnds 7.62/.308, 8 rnds 300 Mag, 4 rnds 338 Lapua. Do not exceed 800° F	Up to 36 dB	Completely End-User Serviceable. Wrenches Included



COMPACT


ANECHOX45



Astounding compact Titanium Suppressor featuring the X-Baffle Anechoic™ Chamber System for Handguns to 45 cal. The ultimate mini-'can' for big-bore rifle hunting up to .458 Win Mag.

MATERIALS	COATING	WEIGHT	LENGTH X DIAMETER	CALIBER	THREAD PITCH	FULL -AUTO RATING	SOUND REDUCTION	MAINTENANCE
Heat-Treated Grade 5 Titanium, Heat-Treated 17-4 Stainless Steel	Cerakote C Series high temperature thin film ceramic	8.3 ounces. 9.1 ounces with 5/8"-24 Titanium DTA included	6.5" X 1.6", 6.6" with AnechoX DTA included. Adds 5.9" installed	45 ACP, 10mm, 44 Mag, 7.62mm, 308, 30-06, 300 Mag, 338 Mag, 375 Mag, 45-70, 450 Bushmaster, 458 Mag	Accepts any 1-3/8"-24 mount. 5/8"-24 Titanium DTA included	100 rnds 45 ACP, 15 rnds 7.62/308. Rapid-fire rated: 20 rnds 7.62/308, 45-70+P, 450 Bushmaster Do not exceed 800°F.	Up to 32dB	Completely End-User Serviceable. Wrenches Included

DIRECT THREAD ADAPTERS



FINISH:			DO NOT SCALE DRAWING		REVISION	H
DESIGN	NAME	SIGNATURE	DATE	TITLE		
DRAWN						
CHECKED						
MFG						
QA						
			MATERIAL:			
			WEIGHT:	SCALE: 1:1	SHEET 1 OF 1	



AnechoX Direct Thread Adapters

Titanium Direct Thread Adapters for the AnechoX 35, 45, 30, 223. Adapt your AnechoX to screw directly onto almost any barrel.*



AnechoX Direct Thread Adapter (DTA) Wrench

Install, torque, or uninstall the Direct Thread Adapter (DTA) in your AnechoX 35, 45, 30, 223.

COMPATIBILITY


* Make your AnechoX 30, AnechoX 223, AnechoX 35, or AnechoX 45 fit just about any barrel thread on any gun with this amazingly light 0.8 Ounce Titanium Direct Thread Adapter. A perfect fit for your AnechoX, or any other Suppressor with the Industry Standard 1 3/8"-24 thread. AnechoX Adapter Wrench required.

The biggest differences between the AnechoX DTA and other brands are the weight, the material, the quality, and the sleek modern design. The AnechoX DTA is made of Grade 5 Titanium, weighs just 0.8 oz, is incredibly precise in its machining and finish.

Available in most muzzle threads like: 1/2"-28, 5/8"-24, M14-1 LH, and many others. Uses the same 1 3/8"-24 Body thread found on Bravo, Hub and other Industry standards for maximum interchangeability with most brands and many suppressors.

ACCESSORIES

TOOLS



FINISH:			DO NOT SCALE DRAWING		REVISION	H
DESIGN	NAME	SIGNATURE	DATE	TITLE:		
DRAWN						
CHK'D						
MFG						
QA				MATERIAL:		
				WEIGHT: 2.22 OZ		
				SCALE: 1:1		
				SHEET 1 OF 1		
				SHEET SIZE		



AnechoX Body Wrench

Holds any AnechoX Body so you can install, torque, or uninstall your AnechoX front cap or rear mount. Included with all AnechoXs.



AnechoX 22 Wrench

Wrench for both the Front Cap and Main Body of your AnechoX 22. Lets you assemble/disassemble your AnechoX 22, or install/uninstall it on your firearm. Included with all AnechoX 22's.



Baffle Holding Fixture


Safely Clamp your Baffles or Front Cap in your vise for cleaning or maintenance. One size fits all AnechoX parts. Another size fits all AnechoX 22 parts.




AnechoX Front Cap Torx Wrench

Torx Wrench to remove/reinstall the AnechoX Front Cap. T70 for AnechoX 45, T60 for AnechoX 223, 30, and 35. Included with all AnechoXs.

PRODUCT SPECIFICATIONS




ACCURATE



ADVANCED TECHNOLOGY



SLEEK MODERN DESIGN



MAGNUM-RATED




TITANIUM




ULTRA-LIGHT



WHISPER-QUIET



END-USER SERVICEABLE






MULTI-CALIBER



UNIVERSAL MOUNTING SYSTEM

DID YOU KNOW THAT OUR SUPPRESSORS COME IN COMPACT AND FULL LENGTH SIZES? CHECK OUT OUR PRODUCT SPECIFICATIONS TO DETERMINE THE BEST SIZE FOR YOUR NEEDS -->

Model	AnechoX 22	AnechoX 35	AnechoX 35L	AnechoX 45	AnechoX 45L	AnechoX 30	AnechoX 30L	AnechoX 223	AnechoX 223L
Max Caliber	22 LR, 22 Mag, 17 HMR, 17 WSM, FN 5.7 x 28	9mm, 350 Legend 338 Lapua	9mm, 350 Legend 338 Lapua	45 ACP, 44 Mag 458 Mag, 460 Wby	45 ACP, 44 Mag 458 Mag, 460 Wby	223/5.56 NATO 300 Ultra Mag	223/5.56 NATO 300 Ultra Mag	223/5.56 NATO, 22-250 220 Swift, 223 WSSM	223/5.56 NATO, 22-250 220 Swift, 223 WSSM
MSRP	\$499	\$1,099	\$1,199	\$1,149	\$1,249	\$1,099	\$1,199	\$1,099	\$1,199
Sound Reduction (DB)	Up To 32	Up To 34	Up To 40	Up To 32	Up To 36	Up To 36	Up To 42	Up To 36	Up To 42
Length (Inches)	6.0"	6.5"	8.1"	6.5"	8.1"	6.5"	8.1"	6.5"	8.1"
Diameter (Inches)	1.1"	1.6"	1.6"	1.6"	1.6"	1.6"	1.6"	1.6"	1.6"
Weight (Ounces)	2.5 oz	8.3 oz	10.2 oz	8.3 oz	10.2 oz	8.3 oz	10.2 oz	8.3 oz	10.2 oz
*Weight With Direct Mount	2.5 oz	9.1 oz	11.0 oz	9.1 oz	11.0 oz	9.1 oz	11 oz	9.1 oz	11 oz
Build Materials	7075-T6, Titanium	Titanium, 17-4 Stainless	Titanium, 17-4 Stainless	Titanium, 17-4 Stainless	Titanium, 17-4 Stainless	Titanium, 17-4 Stainless	Titanium, 17-4 Stainless	Titanium, 17-4 Stainless	Titanium, 17-4 Stainless
Finish	Cerakote Elite Series	Cerakote C Series	Cerakote C Series	Cerakote C Series	Cerakote C Series	Cerakote C Series	Cerakote C Series	Cerakote C Series	Cerakote C Series
Thread Pitch	1/2" X 28 Fixed	1-3/8" X 24 Adapter	1-3/8" X 24 Adapter	1-3/8" X 24 Adapter	1-3/8" X 24 Adapter	1-3/8" X 24 Adapter	1-3/8" X 24 Adapter	1-3/8" X 24 Adapter	1-3/8" X 24 Adapter
DTA Included?	Not Required	Yes 1/2" X 28 To 1-3/8" X 24	Yes 1/2" X 28 To 1-3/8" X 24	Yes 5/8" X 24 To 1-3/8" X 24	Yes 5/8" X 24 To 1-3/8" X 24	Yes 5/8" X 24 To 1-3/8" X 24	Yes 5/8" X 24 To 1-3/8" X 24	Yes 1/2" X 28 To 1-3/8" X 24	Yes 1/2" X 28 To 1-3/8" X 24
1-3/8" X 24 Compatible?	Not Required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
AI X Baffle Design?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
User Serviceable?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lifetime Warranty?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Full Auto Rated?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes



ANECHOX

WHAT'S INCLUDED

- 1 Suppressor
- 2 AnechoX Body Wrench
- 3 AnechoX DTA Spanner Wrench
- 4 Direct Thread Adapter
- 5 AnechoX Front Cap Torx Wrench

*COMING FALL 2024

WARNINGS

SAFETY WARNING

Use proper safety equipment when handling. Make sure firearm is completely safe and unloaded with no rounds loaded when attaching and detaching a suppressor.

Frequently verify the suppressor is securely torqued onto the barrel, especially the first few times you shoot it. Use caution when handling shortly after use. Silencers become very hot when shooting many rounds of powerful ammo, so avoid contact with skin and synthetic materials. Use heat resistant gloves or allow time for cooling.

Use with the correct serviceable firearm and correct ammunition. Discharging firearms in poorly ventilated areas, cleaning firearms or handling ammunition may result in exposure to lead and other substances, which can cause birth defects, reproductive harm and other serious physical injury. Ensure adequate ventilation at all times. Wash hands thoroughly after exposure.

LEGAL WARNING

Suppressors are controlled under Federal and some State and Local laws. The owner of the silencer or other legally authorized person **MUST** be present when it is transported, used, or possessed. It must be stored and locked up according to regulations.

Check your Federal, State, and Local laws concerning the legality of owning, possessing, hunting with, or transporting any silencer. Don't even think about taking a silencer to or through CA, HI, IL, NJ, NY, DC, DE, RI, MA (as of April 1, 2024).

WARRANTY

All ANECHOIC™ AnechoX's have a Limited Lifetime Warranty against all manufacturing defects and damage to this product caused by normal use of this product. ANECHOIC™ will repair or replace any suppressor we make, free of charge or at no more than 50% of replacement price. This warranty does not cover damage to our products or host firearm resulting from careless or irresponsible handling. ANECHOIC™ assumes no liability for unsafe or illegal use of the silencer by its purchaser or any other user who comes into contact with the product after purchase. ANECHOIC™ does not cover damage to the silencer or host firearm resulting from improperly hand loaded, reloaded, previously used or defective ammunition. This warranty extends to all parts as originally sold by us, but does not extend to any product altered after the original purchase, damaged through abuse, misuse, lack of proper care or maintenance, or use other than for its legally intended purposes. The product is sold "as is" with no further implied contractual rights or warranties beyond those expressly stated herein.



Proud Member of the American Suppressor Association.

Designed and manufactured in the USA by proud, free, brilliant, beautiful people like you.

Register your ANECHOIC product online to activate your Lifetime Warranty at: ASILENCER.COM/REGISTER





ANECHOTIC
PREMIUM TITANIUM SUPPRESSORS